

Standard Features

HPE LCD8500 1U Rackmount Console Kit

The HPE LCD8500 1U Rackmount Console Kit is an ultra-dense, high-performance KVM console that combines a full 18.5-inch LCD monitor with keyboard and touch pad in a 1U form factor. The 1U rackmount form factor is designed to allow a KVM console switch to be mounted directly behind it. The WXGA TFT LCD brightview display supports most common video resolutions, from 800 x 600 through 1600 x 1200 at 60 to 75 Hz refresh rates.

The LCD8500 1U Rackmount Console Kit features a new silver enclosure making identification in the rack much easier. The rackmount keyboard includes a three-button touch pad with four (4) scroll keys and Windows shortcut keys. The LCD8500 1U Rackmount Console Kit also includes a new Lid Switch display management feature that shuts off the display backlight when the console is closed and repowers to its current state when opened again, helping to prolong the life of the display panel.



Standard Features

Why do you need a KVM Console for your rack?

- Local access to each server from the data center floor when using a KVM Console Switch.
- More convenience and faster access than typical "crash cart" server access solutions.

Why HPE?

- HPE Support Services purchased for servers and storage extend to our rack and power infrastructure products such as racks, power distribution units, uninterruptible power systems, and KVM console switches.

What is the HPE advantage for you? You don't have to spend additional budget to cover extended warranties and services for your rack and power infrastructure as you would with non-Hewlett Packard Enterprise products.

- HPE rack and power infrastructure products are designed and developed to be used specifically with Hewlett Packard Enterprise servers and storage.
- **What is the HPE advantage for you?** You can use HPE rack and power products with non-HPE IT equipment; however, when used with Hewlett Packard Enterprise servers, you are able to take advantage of various server and IP-based tools used for maintaining and managing all the equipment in the rack.
- While you have many choices for rack and power infrastructure products, Hewlett Packard Enterprise offers an extensive range of rack, power, and KVM products to meet all your needs.

What is the HPE advantage for you? HPE can help to simplify IT purchasing, installation, usage, and maintenance for your organization by providing a single point of contact for all your needs.

HPE LCD8500 1U Rackmount Console Kit Models

HPE LCD8500 1U US Rackmount Console Kit	AF630A
HPE LCD8500 1U UK Rackmount Console Kit	AF631A
HPE LCD8500 1U FR Rackmount Console Kit	AF633A
HPE LCD8500 1U JP Rackmount Console Kit	AF642A
HPE LCD8500 1U INTL Rackmount Console Kit	AF644A
HPE LCD8500 1U US TAA Rackmount Console Kit	AF645A

Additional HPE LCD8500 Console Kit models

HPE LCD8500 1U DE Rackmount Console Kit	AF632A
HPE LCD8500 1U RU Rackmount Console Kit	AF643A
HPE LCD8500 1U US TAA Rackmount Console Kit	AF645A

Standard Features

Kit Contents:

Item	Quantity
HPE LCD8500 1U Console	1
M6 screws	2
6-32 screws	5
HPE 1UConsole Rails LH/RH	2
Cable management arm, power adapter with brace rail	1
CTO Brackets	2
USB cable	1
Video cable	1
Power cord	1
USB cable label	1

Notes: This kit might contain extra hardware.

This product is supplied with a C5 to C14 power cord. The C14 is a standard connection for PDUs and UPSs. If another power source is used, a region specific cord must be purchased separately.

HPE constantly strives to improve and develop products that are environmentally friendly. In communicating with our customers we have discovered that 90% use the C5 to C14 jumper cord and discard the C5 to country specific power cords. In effort to reduce landfill, HPE made a Green decision to remove excess waste from our accessory kit. This resulted in removing multiple power cords included in the product. Please see the [HPE LCD8500 1U Console User Guide](#) for additional information including mounting and installation instructions.

HPE LCD8500 1U Rackmount Console Kit Standard Features

High Density KVM Solution The LCD8500 1U Rackmount Console Kit combines a full 18.5 inch WXGA+ monitor and keyboard with touch pad in a 1U format with enough room to mount an HPE KVM switch behind it. Tool-less rails ease installation.

Performance

High-resolution 1600 x 1200 WXGA TFT LCD BrightView anti-glare display supports most commonly used resolutions.

Built-in interface electronics Offers support of common video resolutions from 800 x 600 through 1600 x 1200 at 60 to 75 Hz refresh rates.

Color Active Matrix TFT screen Guarantees a flicker-free picture that is sharper in focus than a CRT monitor.

USB connectivity Allows a variety of connection options.

Front USB ports Provides two USB 2.0 front side pass-through ports for use with KVM Console Switches that support virtual media.

Ergonomic Design

Wide format Display is easier to see and reduces eye fatigue.

Standard Features

New silver color	New color and front LEDs ease unit identification when closed in high density racks.
2-Button On-Screen Display (OSD)	Conveniently located on the front/bottom of the display assembly, making screen adjustments easy.
Adjustments	A wide array of adjustments can be made, including brightness, contrast, image adjust, OSD settings and factory presets.
Lid Switch	Will engage when display assembly is closed to shut off the power to the panel backlight. When opened, display assembly will re-power to current state. This feature is designed to prolong the life of the display panel.
Multilingual On-Screen Display (OSD)	Can support 7 languages (English, French, German, Italian, Japanese, Simple Chinese, and Spanish).
3-Button Touchpad with scrolling	Located below the space bar for a centrally located input device.
Four scroll keys (inverted T)	Located between the keyboard and numeric keypad for easy access.

Warranty	Three-year Limited Warranty for parts only. Notes: Certain restrictions and exclusions apply. Consult the HPE Customer Support Center for details.
-----------------	--

Service and Support

HPE Services

No matter where you are in your digital transformation journey, you can count on HPE Services to deliver the expertise you need when, where and how you need it. From planning to deployment, ongoing operations and beyond, our experts can help you realize your digital ambitions.

<https://www.hpe.com/services>

Consulting Services

No matter where you are in your journey to hybrid cloud, experts can help you map out your next steps. From determining what workloads should live where, to handling governance and compliance, to managing costs, our experts can help you optimize your operations.

<https://www.hpe.com/services/consulting>

HPE Managed Services

HPE runs your IT operations, providing services that monitor, operate, and optimize your infrastructure and applications, delivered consistently and globally to give you unified control and let you focus on innovation.

[HPE Managed Services | HPE](#)

Operational services

Optimize your entire IT environment and drive innovation. Manage day-to-day IT operational tasks while freeing up valuable time and resources. Meet service-level targets and business objectives with features designed to drive better business outcomes.

<https://www.hpe.com/services/operational>

HPE Complete Care Service

HPE Complete Care Service is a modular, edge-to-cloud IT environment service designed to help optimize your entire IT environment and achieve agreed upon IT outcomes and business goals through a personalized experience. All delivered by an assigned team of HPE Services experts. HPE Complete Care Service provides:

- A complete coverage approach -- edge to cloud
- An assigned HPE team
- Modular and fully personalized engagement
- Enhanced Incident Management experience with priority access
- Digitally enabled and AI driven customer experience

<https://www.hpe.com/services/completecure>

HPE Tech Care Service

HPE Tech Care Service is the operational support service experience for HPE products. The service goes beyond traditional support by providing access to product specific experts, an AI driven digital experience, and general technical guidance to not only reduce risk but constantly search for ways to do things better. HPE Tech Care Service delivers a customer-centric, AI driven, and digitally enabled customer experience to move your business forward. HPE Tech Care Service is available in three response levels. Basic, which provides 9x5 business hour availability and a 2-hour response time. Essential which provides a 15-minute response time 24x7 for most enterprise level customers, and Critical which includes a 6-hour repair commitment where available and outage management response for severity 1 incidents.

<https://www.hpe.com/services/techcare>

Service and Support

HPE Lifecycle Services

HPE Lifecycle Services provide a variety of options to help maintain your HPE systems and solutions at all stages of the product lifecycle. A few popular examples include:

- Lifecycle Install and Startup Services: Various levels for physical installation and power on, remote access setup, installation and startup, and enhanced installation services with the operating system.
- HPE Firmware Update Analysis Service: Recommendations for firmware revision levels for selected HPE products, taking into account the relevant revision dependencies within your IT environment.
- HPE Firmware Update Implementation Service: Implementation of firmware updates for selected HPE server, storage, and solution products, taking into account the relevant revision dependencies within your IT environment.
- Implementation assistance services: Highly trained technical service specialists to assist you with a variety of activities, ranging from design, implementation, and platform deployment to consolidation, migration, project management, and onsite technical forums.
- HPE Service Credits: Access to prepaid services for flexibility to choose from a variety of specialized service activities, including assessments, performance maintenance reviews, firmware management, professional services, and operational best practices.

Notes: To review the list of Lifecycle Services available for your product go to:

<https://www.hpe.com/services/lifecycle>

For a list of the most frequently purchased services using service credits, see the [HPE Service Credits Menu](#)

Other Related Services from HPE Services:

HPE Education Services

Training and certification designed for IT and business professionals across all industries. Broad catalogue of course offerings to expand skills and proficiencies in topics ranging from cloud and cybersecurity to AI and DevOps. Create learning paths to expand proficiency in a specific subject. Schedule training in a way that works best for your business with flexible continuous learning options.

<https://www.hpe.com/services/training>

Defective Media Retention

An option available with HPE Complete Care Service and HPE Tech Care Service and applies only to Disk or eligible SSD/Flash Drives replaced by HPE due to malfunction.

Consult your HPE Sales Representative or Authorized Channel Partner of choice for any additional questions and services options.

Parts and Materials

HPE will provide HPE-supported replacement parts and materials necessary to maintain the covered hardware product in operating condition, including parts and materials for available and recommended engineering improvements.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

How to Purchase Services

Services are sold by Hewlett Packard Enterprise and Hewlett Packard Enterprise Authorized Service Partners:

- Services for customers purchasing from HPE or an enterprise reseller are quoted using HPE order configuration tools.
- Customers purchasing from a commercial reseller can find services at <https://ssc.hpe.com/portal/site/ssc/>

Service and Support

AI Powered and Digitally Enabled Support Experience

Achieve faster time to resolution with access to product-specific resources and expertise through a digital and data driven customer experience

Sign into the HPE Support Center experience, featuring streamlined self-serve case creation and management capabilities with inline knowledge recommendations. You will also find personalized task alerts and powerful troubleshooting support through an intelligent virtual agent with seamless transition when needed to a live support agent.

<https://support.hpe.com/hpesc/public/home/signin>

Consume IT On Your Terms

HPE GreenLake edge-to-cloud platform brings the cloud experience directly to your apps and data wherever they are—the edge, colocations, or your data center. It delivers cloud services for on-premises IT infrastructure specifically tailored to your most demanding workloads. With a pay-per-use, scalable, point-and-click self-service experience that is managed for you, HPE GreenLake edge-to-cloud platform accelerates digital transformation in a distributed, edge-to-cloud world.

- Get faster time to market
- Save on TCO, align costs to business
- Scale quickly, meet unpredictable demand
- Simplify IT operations across your data centers and clouds

To learn more about HPE Services, please contact your Hewlett Packard Enterprise sales representative or Hewlett Packard Enterprise Authorized Channel Partner. Contact information for a representative in your area can be found at "Contact HPE" <https://www.hpe.com/us/en/contact-hpe.html>

For more information

www.hpe.com/services

Related Options

HPE LCD8500 1U Rackmount Console Kit Options

Display Port Cable	HPE Kit LCD 1.83m Latch Display Port Cable	G7T29A
HPE Support Services	HPE Install Rack and Rack Options Service	U2871E

Technical Specifications

HPE LCD8500 1U Rackmount Console Kit

Physical Dimensions	H x W x D	1.66 x 17.17 x 17.05 in (4.23 x 43.61 x 43.3) cm
	Weight	11.43 lb (5.2 kg)
Shipping Dimensions	Package (L x W x D)	22.9 x 7.9 x 24.5 in (58.1 x 20 x 61.3 cm)
	Weight	25.3 lb (11.45 kg)
Display	Type	Flat-panel, active matrix-TFT LCD with anti-glare coating
	Display	18.5 in (46.99 cm), 16 x 9 aspect ratio
	Viewable (diagonal)	18.51 in digital display (47.02 cm) 16 x 9 aspect ratio
	Maximum Input Graphics Resolution	1600 x 1200 @ 60 Hz Refresh Rate
		* Note input devices may limit maximum configurable resolution
	Response time	<16ms
	Brightness	>187 (cd/m ²)
	Contrast ratio	> 700:1
Keys	101, 102, or 106 layout (depending on country) including inverted T scroll keys, Windows keys	
Environmental Temperature	Operating	0° to 50° C (32° to 122° F)
	Non-operating	-30° to 60° C (-22° to 140° F)
	Storage Temperature	-20° to 60°C (-4° to 140°F)
Humidity (non-condensing)	Operating	10% to 90%
	Non-operating	10% to 90%
	Power Source	90 to 264 VAC, 47 to 63 Hz
	Maximum Power Consumption	<36W
Altitude	Operating	0 to 10,000 ft (0 to 3048 m)
	Non-operating	0 to 30,000 ft (0 to 9144 m)
Supported Graphics Mode (Output)	640 x 480 VGA through 1600 x 1200 WXGA+ 60, and 75 Hz refresh rates	
Keyboard/Mouse Output	USB 2.0 connectors	
OSD Language Selection	English, Spanish, French, German, Italian, Japanese, Simplified Chinese	

Environment-friendly Products and Approach - End-of-life Management and Recycling

Hewlett Packard Enterprise offers end-of-life [product return, trade-in, and recycling programs](#), in many geographic areas, for our products. Products returned to Hewlett Packard Enterprise will be recycled, recovered or disposed of in a responsible manner.


The EU WEEE Directive (2012/19/EU) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the [Hewlett Packard Enterprise web site](#). These instructions may be used by recyclers and other WEEE treatment facilities as well as Hewlett Packard Enterprise OEM customers who integrate and re-sell Hewlett Packard Enterprise equipment.

Summary of Changes

Date	Version History	Action	Description of Change
04-Dec-2023	Version 10	Changed	Service and Support Section was updated
15-Nov-2021	Version 10	Changed	Service and Support Section was updated
03-Feb-2020	Version 9	Changed	Overview Section was updated
01-Oct-2018	Version 8	Changed	Overview and Related Options was updated.
02-Jul-2018	Version 7	Changed	Models Section was Updated
23-Oct-2017	Version 6	Changed	Care Pack naming and Service and Support- Parts and Materials updated.
07-Oct-2016	Version 5	Changed	QuickSpecs was rebranded.
28-Sep-2015	Version 4	Changed	Title was changed from HPE KVM Console Kit to HPE LCD8500 Console Kit.
		Removed	TFT7600 KVM Console was removed from the QuickSpecs.
09-Feb-2015	Version 3	Changed	Title was changed from HPE TFT7600 G2 KVM Console and Monitor (TFT7600 G2) to HPE KVM Console Kit. Changed Product Highlights section name to Standard Features. Overview, Standard Features, Service and Support, Related Options, and Technical Specifications sections were revised.
01-Jun-2012	Version 2	Changed	Changes were made in the Product Highlights and Technical Specifications sections.
05-Oct-2010	Version 1	Created	New QuickSpecs

Copyright

Make the right purchase decision. Contact our presales specialists.



© Copyright 2023 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

c04154398 - 13731 - Worldwide - V11 - 04-December-2023